

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L2	674	(sheet or liner or contact) adj3 (projections or teeth or "tooth means") and (stator or armature) and rotor	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 12:53	
2	BRS	L1	27414	(sheet or liner or contact) adj3 (projections or teeth or "tooth means")	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 12:53	
3	BRS	L3	206	12 not winding\$ not coil\$2	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 12:54	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	0	("piezoelectricandproj ection\$1").PN.	USPAT	2006/10/2 4 08:51	
2	BRS	L3	313	piezoelectric and (slant\$3 or lean\$3 or angle\$1 or inclin\$2) adj3 projection\$1	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:03	
3	BRS	L4	285	piezoelectric adj3 motor and projection\$1	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:20	
4	BRS	L5	1705	stator adj5 projection\$1	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L6	1818	armature adj5 projection\$1	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:51	
6	BRS	L7	1097	16 not winding\$1	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:51	
7	BRS	L8	355	17 not coil\$2	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:58	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L10	193	(stator or armature) adj3 teeth same (normal or perpendicular or slanted or inclined or angled) not winding\$1 not coil\$1 same (driver or driving)	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 09:59	
9	BRS	L9	1948	(stator or armature) adj3 teeth not winding\$1 not coil\$1 same (driver or driving)	US- PGPUB ; USPAT ; USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2006/10/2 4 10:04	